

1-phase Hybrids-FAQ

How to properly setup SHxxRS in an AC coupling system

Applicable to: SHxxRS series

Application scenario: AC coupling system means the DC side of hybrid inverter is not connected with PV components. The power grid charges the battery and supplies power to the load.

Note: To avoid battery draining in production for self-consumption mode, please turn on **Forced Charging** and set **Forced Charging Start Time**, **Forced Charging End Time** and **Forced Charging Target SOC** according to customer requirements.

The screenshot shows the 'Common Parameter Settings' window in the SolarCloud portal, specifically the 'Energy Management Parameters' tab. A table lists various parameters, with the 'Forced Charging' section highlighted by an orange box. The parameters include 'Forced Charging' (set to 'Enable'), 'Forced Charging Valid Day' (set to 'Please Select'), 'Forced Charging Start Time 1' (set to 'Select'), 'Forced Charging End Time 1' (set to 'Select'), 'Forced Charging Target SOC 1' (set to '0'), 'Forced Charging Start Time 2' (set to 'Select'), 'Forced Charging End Time 2' (set to 'Select'), and 'Forced Charging Target SOC 2' (set to '0').

No.	Parameter Name	Latest Value	Numerical Term	Data Range (min.)	Data Range (max.)	Degree of accuracy	Unit	Remarks
6	Forced Charging	Enable	Enable	--	--	--	--	--
6-1	Forced Charging Valid Day	Please Select	Please Select	--	--	--	--	--
6-2	Forced Charging Start Time 1	Select	Select	--	--	--	--	--
6-3	Forced Charging End Time 1	Select	Select	--	--	--	--	--
6-4	Forced Charging Target SOC 1	0	0	0	100	1	%	--
6-5	Forced Charging Start Time 2	Select	Select	--	--	--	--	--
6-6	Forced Charging End Time 2	Select	Select	--	--	--	--	--
6-7	Forced Charging Target SOC 2	0	0	0	100	1	%	--
7	DO Configuration	Please Select	Please Select	--	--	--	--	--

AC coupling system parameter settings

For further information, please download the user manual [here](#).

This manual is intended for professional technicians who are responsible for installation, operation, maintenance and troubleshooting of inverters, and users who need to check inverter parameters. The inverter must only be installed by professional technicians.

The professional technician is required to meet the following requirements:

- Know electronic, electrical wiring and mechanical expertise, and be familiar with electrical and mechanical schematics.
- Have received professional training related to the installation, commissioning and troubleshooting of electrical equipment.
- Be able to quickly respond to hazards or emergencies that occur during installation, commissioning and troubleshooting.
- Be familiar with local standards and relevant safety regulations of electrical systems.
- Read this manual thoroughly and understand the safety instructions related to operations.