

3-phase String Inverter-FAQ

How to replace a 3 phase string inverter in iSolarCloud Web interface

Applicable to: 3-phase string inverters

Before replacing an inverter, make sure you save/screenshot all customer and country specific parameters.

ඊ day Cloudy **....** - 0 ଜ $^{\odot}$ 0 EUR ۱۵. FAO Anl 0* 0 kWh 88 Ove 15 E Devi LA Curve 🛆 Fault Plant (O Part Ph. Ourrent 盛 Total Viels Advanced $0_{\rm kW}$ 0 0 dda 🔀 Setti 🕐 Fin 3.2 kWp 0 EUR i Live Data Smart I Month Year Total < 2022/09/13 > Ģ

Open the plant Overview and select Device Information.

Swipe (**don't click**) on the three dots of the device, you want to replace. Now click on **Device Replacement**.

ඊ	< Back	Device SAN Device Name Device Status V
\$	FAQ Anlage	Image: Control of the control of th
6*	88 Overview	Associated Communication Device Are sociated Communication Device
	Device Information	
S Ō	A Curve A Fault	
1 10	Plant Configuration	
	Advanced Settings	
۵	 Firmware Update 	
•	Uve Data	
	53 Smart IV Curve Diagnosis	
0		
G		

© 2021 Sungrow. All rights reserved. Subject to change without notice. Version 1.1 Sungrow Deutschland GmbH | Balanstr. 59 | 81541 München | <u>www.sungrowpower.com</u>



Continue if you are sure, you selected the right device to replace.

ඊ	< Back	Device SN Device Name Device Status V
	FAQ Aniage Caracteria	Communication Madu Communication Madu
	L. Curve Fault Part Configuration Advanced Settinge Finnare Update Finnare Update Ure Data Sourt IV Curve Diagnosis	Before replacing the device, please ensure that: 1. The new device's trail yield has been cleared: 2. The device has been replaced in the plant:
000		Caref

Click + to add the serial number of the new device.

ඊ	< Back	Device S/N Cenice Name Device Type Cenice Status Cenice Status </th <th></th>	
3 △ ④		Inverter 201, 501 O Communication Mediu Device Replacement O Mass replacement O Mass replacement error will cause tos of data.	× weiter
6		0 kW Old Device	New Device
a.	FAQ Anlage	0 W Device Name	
55	88 Overview	SyNc Total Vield	
	Device Information	0 kwh	
8	LA_ Curve	Device Type Inverter	
ŏ	🛆 Fault	S/N Y2142100001	
89	Plant Configuration	Manufacturer SUNGROW	
Ý	Advanced		
	Settings		Add New Device for Replacement
0	Firmware Update		
Û	Uve Data		
	Smart IV Curve Diagnosis		
		Z Add Compensatory Yield to New Device	
			Start Replacement
0		Carsei	
•			
Ģ.			
G			



Select Manually to insert the serial number.

ඊ	< Back	Device SAN Device Name Device Status v G	
(3 △		Investor 501_001 O Communication Medu Communication Medu X Device X Communication Medu X	
10.	FAQ Anlage	886 Part Name Device 5/H	
ď		ew Ann	
56 (3)	Cverview	5/h	
0	LA_ Curve		
õ	🛆 Fault		
89	Plant Configuration		
Ÿ	Advanced	No Dita	
۵	Firmware Update		
0	O Live Data		
	😥 Smart IV Curve Diagnosis		
		Color	
0			
G0			
G			


Enter serial number and Confirm.

ඊ	< Back	Device SAN Device Name Device Status V
∂ ©		Inserting (501,001 O Communication Madu
۵.	FAQ Anlage	OW Flat Name Delice S/N Total
6 *	88 Overview	400 A00 240
	Device Information	
8	LA_ Curve	Manually × Declere 5/H
ō	🛆 Fault	
53	Plant Configuration	
Ý	Advanced	
	🐼 Settings	
Q	Firmware Update	Caral Conten
٢	Uve Data	
	😥 Smart IV Curve Diagnosis	
0		
•		
6		
G		



The device information of the new inverter will now be shown on the left side of the screen. Click **Start Replacement** if this information is correct.

ඊ	< Back	Device S/N Device Name Device Type V O	
		Inverter 001.001 Communication Modu	
ŵ		Device Replacement	×
Ø		Please replace carefully. A replacement error will cause loss of data. Daily	Task List
6		a kW old Device	New Device
at .	FAQ Anlage	0 W Device Name	Device Name
55	88 Overview	Asso Inverter Coulton SUMD Total Vield O Koth	Total Weld
0	Device Information	Device Type	Device Type
ō	▲ Fault	Inverter 5/N Y2142100001	
22	Plant Configuration	Manufacturer	Manufacturer
Ŭ.	Advanced	SUNGROW	-
۵	Settings		
O			
	Smart IV Curve Diagnosis		
		Add Compensatory Vield to New Device	Charge
		Add Compensatory Yield to New Device	Start Peplacement
Θ		Laike	
0 6			
G			





ථ්	< Back	vice S/N Device Name Device Type v Device Status v O	
(3) ⊗		werefre \$95,501 Communication Modu Perice Replacement X O These splacement were with calls too of data. These splacement were with calls too of data. These splacement were and calls too of data.	
IA.	FAQ Anlage	M Old Device New Device	
6 *	88 Overview	Open-Name Director Name issuedre (001)001 Table York Table York	
	Device Information	0 km/s	
8	LA. Curve	Divice Type Device Type -	
ō	🛆 Fault	5/m Y214210003 K	
62 80	Plant Configuration	Manfatum SukaRow	
Ť	Advanced	Vere Taki kit Complex	
	Settings		
Q	Firmware Update		
0	Uve Data		
	Smart IV Curve Diagnosis		
		C Add Compensatory Yeld to New Device	
0		Covel Back Cover	
•			
60			
G			

If the replacement was successful, the new inverter will now be shown in the **Device Information**.

ඊ	< Back	Device S/N Devic	e Name	Device Type V	Device Status V	٩			
20 20 20 20 20 20 20 20 20 20	FaQ Anage FaQ Anage Perter Information Control Information Control Information Perter Inf	Inverter (201, 201 Inverter (201, 20	€ rana	ion Modu ··· ion Module 4792	Concernence				
0									
G									
G									

Make sure customer/country specific parameters are set according to the settings of the previous inverter.

For further information, please download the user manual <u>here</u>.



This manual is intended for professional technicians who are responsible for installation, operation, maintenance and troubleshooting of inverters, and users who need to check inverter parameters. The inverter must only be installed by professional technicians.

The professional technician is required to meet the following requirements:

- Know electronic, electrical wiring and mechanical expertise, and be familiar with electrical and mechanical schematics.
- Have received professional training related to the installation, commissioning and troubleshooting of electrical equipment.
- Be able to quickly respond to hazards or emergencies that occur during installation, commissioning and troubleshooting.
- Be familiar with local standards and relevant safety regulations of electrical systems.
- Read this manual thoroughly and understand the safety instructions related to operations.